

1/22




FIGURE 1

2/22




FIGURE 2

3/22




FIGURE 2

4/22




FIGURE 4

5/22




FIGURE 5

6/22




FIGURE 6

7/22

**Plasma Concentration of ISIS 3082, 5' C18 Amine (ISIS 9047)  
and 5' Cholesterol (ISIS 8005) Analogs  
in BALB/c Mice After Intravenous Injection**




FIG. 7

8/22

ISIS 3082 Tissue Distribution in BALB/c Mice  
as Percent of Dose at 1, 3, 8 and 24 Hours After Intravenous Injection




FIG. 8



9/22

**ISIS 9047 (5' C18 amine phosphorothioate analog of ISIS 3082)  
Tissue Distribution in BALB/c Mice as % of Dose  
at 1, 3, 8 and 24 Hours After Intravenous Injection**




FIG. 9

10/22

ISIS 8005 (5' cholesterol analog of ISIS 3082)  
Tissue Distribution in BALB/c Mice as Percent of Dose  
at 1, 3, 8 and 24 Hours After Intravenous Injection




FIG. 10

11/22

### INHIBITION OF LIVER ICAM-1 mRNA IN BALB/C MICE.




FIGURE 11

12/22

**The 5'-cholesterol 3082 analog- 8005- has  
no effect on c-raf or PECAM-1 mRNA Levels**




FIGURE 12

13/22

### INHIBITION OF LUNG ICAM-1 mRNA IN BALB/C MICE.






FIGURE 13

14/22


**ICAM-1 IHC in LPS Liver**




**Basal**



**LPS / No Oligo**



**LPS / ICAM-1 Cholesterol 5' (8005)**



**LPS / Scrambled Cholesterol 5' (13293)**

FIGURE 14

15/22

**Inhibition of Balb/c Mouse Liver ICAM-1  
mRNA with 3' Cholesterol ASO.**




FIGURE 13

16/22




Fig. 16



17/22




Fig. 17

18/22




Fig. 18

19/22




Fig. 19

20/22




Fig. 20

21/22




Fig. 21A

22/22




Fig. 21B